according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version **Revision Date:** Date of last issue: 10.08.2020 23.04.2021 05.08 Date of first issue: 27.09.2007

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : mikrozid® AF liquid RJ40-00DM-Y002-WNQH Unique Formula Identifier

(UFI)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-Disinfectants and general biocidal products

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Producer : Schülke & Mayr GmbH

Robert-Koch-Str. 2

22851 Norderstedt

Germany

Telephone: +49 (0)40/52100-0 Telefax: +49 (0)40/52100318

mail@schuelke.com www.schuelke.com

Schülke & Mayr UK Ltd. Supplier

Cygnet House

1, Jenkin Road, Meadowhall

Sheffield S9 1AT United Kingdom

Telephone: +44 114 254 35 00 Telefax: +44 114 254 35 01 mail.uk@schulke.com

: Application Department E-mail address of person responsible for the

+49 (0)40/ 521 00 666 AD@schuelke.com

(Schülke & Mayr UK Ltd.: +44-1142543500)

1.4 Emergency telephone number

SDS/Contact person

Emergency telephone num-: UK Poisons Emergency number: 0870 600 6266 Carechem 24 International:+44 1235 239670 ber

#### **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Flammable liquids, Category 3 H226: Flammable liquid and vapour.

Eye irritation, Category 2 H319: Causes serious eye irritation.

Specific target organ toxicity - single ex-H336: May cause drowsiness or dizziness.

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

posure, Category 3, Central nervous system

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal word : Warning

Hazard Statements : H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

Precautionary Statements : P102 Keep out of reach of children.

Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P261 Avoid breathing vapours/ spray.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves (e.g. Nitrile rubber) /eye protec-

tion.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

# Hazardous components which must be listed on the label:

propan-1-ol

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Vapours may form explosive mixtures with air.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

Components

Chemical name	CAS-No. EC-No.	Classification	Concentration (% w/w)
	Index-No.		,

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

	Registration number		
propan-1-ol	71-23-8	Flam. Liq. 2; H225	>= 30 - < 50
	200-746-9	Eye Dam. 1; H318	
	603-003-00-0	STOT SE 3; H336	
	01-2119486761-29-		
	XXXX		
ethanol	64-17-5	Flam. Liq. 2; H225	>= 20 - < 30
	200-578-6	Eye Irrit. 2; H319	
	603-002-00-5		
	01-2119457610-43-		
	XXXX		

For explanation of abbreviations see section 16.

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice : Take off all contaminated clothing immediately.

If inhaled : Move to fresh air.

If symptoms persist, call a physician.

In case of skin contact : Wash off with plenty of water.

If symptoms persist, call a physician.

In case of eye contact : In case of eye contact, remove contact lens and rinse imme-

diately with plenty of water, also under the eyelids, for at least

15 minutes.

Obtain medical attention.

If swallowed : Do NOT induce vomiting.

Clean mouth with water and drink afterwards plenty of water.

Obtain medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Treat symptomatically.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons

Information Service.

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Dry powder

Alcohol-resistant foam Carbon dioxide (CO2) Water spray jet

Unsuitable extinguishing : Do NOT use water jet.

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version **Revision Date:** Date of last issue: 10.08.2020 23.04.2021 05.08 Date of first issue: 27.09.2007

media

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Cool closed containers exposed to fire with water spray.

ucts

Hazardous combustion prod: Vapours may form explosive mixtures with air.

5.3 Advice for firefighters

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures** 

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation.

Remove all sources of ignition.

6.2 Environmental precautions

**Environmental precautions** Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

Wipe up with absorbent material (e.g. cloth, fleece). Methods for cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel,

acid binder, universal binder, sawdust).

6.4 Reference to other sections

see Section 8 + 13

**SECTION 7: Handling and storage** 

7.1 Precautions for safe handling

Advice on safe handling Provide sufficient air exchange and/or exhaust in work rooms.

Advice on protection against

fire and explosion

Keep away from sources of ignition - No smoking. The hot

product gives off combustible vapours.

Hygiene measures Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store at room temperature in the original container. Do not

store at temperatures above 30°C.

Further information on stor-

age conditions

Keep container tightly closed. Keep away from direct sunlight.

Recommended storage temperature: 15 - 25°C

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

Advice on common storage : Do not store together with oxidising agents.

7.3 Specific end use(s)

Specific use(s) : none

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
propan-1-ol	71-23-8	STEL	250 ppm	GB EH40
			625 mg/m3	
	Further information: Can be absorbed through the skin. The assigned sub-			
	stances are those for which there are concerns that dermal absorption will			
	lead to systemic toxicity.			
		TWA	200 ppm	GB EH40
			500 mg/m3	
	Further information: Can be absorbed through the skin. The assigned sub-			
	stances are those for which there are concerns that dermal absorption will			
	lead to systemic toxicity.			
ethanol	64-17-5	TWA	1,000 ppm	GB EH40
			1,920 mg/m3	
	Further information: Where no specific short-term exposure limit is listed, a			
	figure three times the long-term exposure limit should be used.			

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	` ,	•	` '	
Substance name	End Use	Exposure routes	Potential health effects	Value
propan-1-ol	Workers	Skin contact	Long-term systemic effects	136 mg/kg
	Workers	Inhalation	Long-term systemic effects	268 mg/m3
	Workers	Inhalation	Acute systemic effects	1723 mg/m3
ethanol	Workers	Inhalation	Acute local effects	1900 mg/m3
	Workers	Skin contact	Long-term systemic effects	343 mg/kg
	Workers	Inhalation	Long-term systemic effects	950 mg/m3

# Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
propan-1-ol	Fresh water	6.83 mg/l
	Soil	1.49 mg/kg
	Marine sediment	2.75 mg/kg
	Fresh water sediment	27.5 mg/kg
	Marine water	0.983 mg/l
ethanol	Fresh water	0.96 mg/l
	Marine water	0.79 mg/l
	Fresh water sediment	3.6 mg/kg

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

Soil	0.63 mg/kg
Marine sediment	2.9 mg/kg
Sewage treatment plant	580 mg/l

## 8.2 Exposure controls

Personal protective equipment

Eye protection : Safety glasses with side-shields conforming to EN166

Hand protection

Directive : The selected protective gloves have to satisfy the specifica-

tions of Regulation (EU) 2016/425 and the standard EN 374

derived from it.

Remarks : Splash protection: disposable nitrile rubber gloves e.g.

Dermatril (layer thickness: 0.11 mm) made by KCL or gloves from other manufacturers offering the same protection. Prolonged contact: Nitrile rubber gloves e.g. Camatril (>120 Min., layer thickness: 0.40 mm) or butyl rubber gloves e.g. Butoject (>480 Min., layer thickness: 0.70 mm) made by KCL or gloves from other manufacturers offering the same protec-

tion.

Skin and body protection : Work uniform or laboratory coat.

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

If the occupational exposure limits cannot be met, in exceptional cases suitable respiratory equipment should be worn

only for a short period of time. Recommended Filter type:

A-P2 or ABEK-P2

Respiratory protection complying with EN 141.

Protective measures : Avoid contact with skin and eyes.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : colourless

Odour : alcohol-like

Odour Threshold : not determined

pH : Not applicable

Melting point/freezing point : < -5 °C

Decomposition temperature No data available

Boiling point/boiling range : ca. 80 °C

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

Flash point : 27 °C

Method: DIN 51755 Part 1

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable Upper explosion limit / Upper : 17.5 %(V) flammability limit : Raw material

Lower explosion limit / Lower flammability limit

: 2.1 %(V) Raw material

Vapour pressure : ca. 50 hPa (20 °C)

Vapour density : No data available

Relative density : ca. 0.89 g/cm3 (20 °C)

Solubility(ies)

Water solubility : completely soluble (20 °C)

Partition coefficient: n-

octanol/water

Not applicable

Viscosity

Viscosity, dynamic : not determined

Flow time : < 15 s at 20 °C

Method: DIN 53211

Explosive properties : No data available

Oxidizing properties : No data available

9.2 Other information

Self-ignition : No data available

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

The product is chemically stable.

## 10.3 Possibility of hazardous reactions

Hazardous reactions : Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

**Acute toxicity** 

Components:

propan-1-ol:

Acute oral toxicity : LD50 (Rat): ca. 8,000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 33.8 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): 4,032 mg/kg

Method: literature value

ethanol:

Acute oral toxicity : LD50 (Mouse): 8,300 mg/kg

Acute inhalation toxicity : LC50 (Mouse): 39 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rabbit): 20,000 mg/kg

Skin corrosion/irritation

**Components:** 

propan-1-ol:

Species : Rabbit

Result : No skin irritation

ethanol:

Species : Rabbit

Method : OECD Test Guideline 404

Result : No skin irritation

Serious eye damage/eye irritation

**Product:** 

Method : Expert judgement

Result : irritating

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

Remarks : The toxicological data has been taken from products of similar

composition.

**Components:** 

propan-1-ol:

Species : Rabbit

Result : Irreversible effects on the eye

ethanol:

Method : OECD Test Guideline 405

Result : Eye irritation

Respiratory or skin sensitisation

**Components:** 

propan-1-ol:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Does not cause skin sensitisation.

ethanol:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Result : Did not cause sensitisation on laboratory animals.

Germ cell mutagenicity

**Components:** 

propan-1-ol:

Germ cell mutagenicity- As-

sessment

Not mutagenic in Ames Test

ethanol:

Genotoxicity in vitro : Test Type: Microbial mutagenesis assay (Ames test)

Test system: Salmonella typhimurium

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471 Result: Not mutagenic in Ames Test

Genotoxicity in vivo : Result: Non mutagenic

Germ cell mutagenicity- As-

sessment

Tests on bacterial or mammalian cell cultures did not show

mutagenic effects.

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version **Revision Date:** Date of last issue: 10.08.2020 23.04.2021 05.08 Date of first issue: 27.09.2007

Carcinogenicity

**Components:** 

propan-1-ol:

Carcinogenicity - Assess-

ment

Animal testing did not show any carcinogenic effects.

ethanol:

Carcinogenicity - Assess-

ment

Did not show carcinogenic effects in animal experiments.

Reproductive toxicity

**Components:** 

propan-1-ol:

Effects on foetal develop-

ment

Species: Rat

Application Route: inhalation (vapour)

General Toxicity Maternal: NOAEL: 8.6 mg/l

Reproductive toxicity - As-

sessment

Animal testing did not show any effects on fertility.

Experiments have shown reproductive toxicity effects on la-

boratory animals.

ethanol:

Effects on foetal develop-

ment

Species: Rat

Application Route: Oral

General Toxicity Maternal: NOAEL: 2,000 mg/kg body weight

Reproductive toxicity - As-

sessment

In animal testing, risk of impaired fertility was shown only after

administration of very high doses of this substance.

Animal experiments showed mutagenic and teratogenic ef-

fects.

STOT - single exposure

**Product:** 

Remarks May cause drowsiness or dizziness.

**Components:** 

propan-1-ol:

Assessment May cause drowsiness or dizziness.

ethanol:

Remarks No data available

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

#### STOT - repeated exposure

**Components:** 

propan-1-ol:

Assessment : The substance or mixture is not classified as specific target

organ toxicant, repeated exposure.

ethanol:

Remarks : No data available

Repeated dose toxicity

**Components:** 

ethanol:

Species : Rat

NOAEL : 1,730 mg/kg LOAEL : 3,160 mg/kg

Application Route : Oral Exposure time : 90 d

Aspiration toxicity
No data available
Further information

**Product:** 

Remarks : Inhalation of high vapour concentrations may cause symp-

toms like headache, dizziness, tiredness, nausea and vomit-

ing.

# **SECTION 12: Ecological information**

12.1 Toxicity

**Product:** 

Toxicity to microorganisms : EC50 : 68,750 mg/l

Method: OECD 209

**Components:** 

propan-1-ol:

Toxicity to fish : LC50 (Fish): 3,200 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 3,642 mg/l

NOEC (Chlorella pyrenoidosa (aglae)): 1,150 mg/l

Exposure time: 48 h Method: DIN 38412

Toxicity to algae/aquatic

Exposure time: 48 h

plants

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

Toxicity to daphnia and other : aquatic invertebrates (Chron-

r : NOEC: 68.3 mg/l - Exposure time: 21 d

ic toxicity)

Species: Daphnia magna (Water flea)

Remarks: Based on data from similar materials

ethanol:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8,140 mg/l

Exposure time: 48 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 5,000 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic

plants

IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l

Exposure time: 72 h

## 12.2 Persistence and degradability

**Product:** 

Biodegradability : Result: Readily biodegradable.

Method: OECD 301D / EEC 84/449 C6

**Components:** 

propan-1-ol:

Biodegradability : Test Type: aerobic

Result: Readily biodegradable.

Biodegradation: 75 % Exposure time: 20 d

ethanol:

Biodegradability : Test Type: aerobic

Result: Readily biodegradable. Biodegradation: > 70 %

Exposure time: 5 d

Method: OECD 301D / EEC 84/449 C6

## 12.3 Bioaccumulative potential

**Components:** 

propan-1-ol:

Bioaccumulation : Bioconcentration factor (BCF): 0.88

Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : log Pow: 0.2 (25 °C)

octanol/water Method: OECD Test Guideline 117

ethanol:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n- : log Pow: -0.14

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

octanol/water Method: Calculated value

12.4 Mobility in soil

**Components:** 

propan-1-ol:

Mobility : Remarks: Mobile in soils

ethanol:

Mobility : Remarks: No data available

12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

No data is available on the product itself.

**SECTION 13: Disposal considerations** 

13.1 Waste treatment methods

Product : Dispose of the product according to the defined EWC (Euro-

pean Waste Code) No.

Contaminated packaging : Take empty packaging to the recycling plant.

Waste key for the unused

product

: EWC 070604\*

Waste key for the unused

product(Group)

: Waste material of HZVA from fats, lubricants, soaps, deter-

gents, disinfectants and personal protection products.

**SECTION 14: Transport information** 

14.1 UN number

 ADR
 : UN 1987

 IMDG
 : UN 1987

 IATA
 : UN 1987

14.2 UN proper shipping name

ADR : ALCOHOLS, N.O.S.

Z11091\_01 ZSDB\_P\_GB EN

Page 13/17

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

(propan-1-ol, ethanol)

**IMDG** : ALCOHOLS, N.O.S.

(propan-1-ol, ethanol)

IATA : Alcohols, n.o.s.

(propan-1-ol, ethanol)

14.3 Transport hazard class(es)

 ADR
 : 3

 IMDG
 : 3

 IATA
 : 3

14.4 Packing group

**ADR** 

Packing group : III
Classification Code : F1
Hazard Identification Number : 30
Labels : 3
Tunnel restriction code : (D/E)

**IMDG** 

Packing group : III
Labels : 3
EmS Code : F-E, S-D

IATA (Cargo)

Packing instruction (cargo : 366

aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable liquid

IATA (Passenger)

Packing instruction (passen: 355

ger aircraft)

Packing instruction (LQ) : Y344
Packing group : III

Labels : Flammable liquid

14.5 Environmental hazards

ADR

Environmentally hazardous : no

**IMDG** 

Marine pollutant : no

14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

Conditions of restriction for the following entries should be considered:

Number on list 3

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

REACH - List of substances subject to authorisation

(Annex XIV)

Not applicable

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

: Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

P5c FLAMMABLE LIQUIDS

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 58.27 %

Regulation (EC) No. 648/2004, as amended

Other constituents: Perfumes

### Other regulations:

The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

#### 15.2 Chemical safety assessment

Exempt

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

#### **SECTION 16: Other information**

#### **Full text of H-Statements**

H225
H318
Causes serious eye damage.
H319
Causes serious eye irritation.
H336
May cause drowsiness or dizziness.

#### Full text of other abbreviations

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation Flam. Liq. : Flammable liquids

STOT SE : Specific target organ toxicity - single exposure GB EH40 : UK. EH40 WEL - Workplace Exposure Limits

GB EH40 / TWA : Long-term exposure limit (8-hour TWA reference period)
GB EH40 / STEL : Short-term exposure limit (15-minute reference period)

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways: ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals: OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Classification of the mixture:

Classification procedure:

Flam. Liq. 3 H226 Based on product data or assessment

according to Regulation (EC) No. 1907/2006



mikrozid® AF liquid No Change Service!

Version Revision Date: Date of last issue: 10.08.2020 05.08 23.04.2021 Date of first issue: 27.09.2007

Eye Irrit. 2 H319 Based on product data or assessment

STOT SE 3 H336 Calculation method

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.